




0-WEB.ru

[Rempedaalrubber Suzuki Intruder VI 1500 Lc](#)



[Rempedaalrubber Suzuki Intruder VI 1500 Lc](#)



0-WEB.ru


---

4 inches) Overall – Width: 965 mm (38 inches) Overall – Height: 1165 mm (45 9 inches) Seat Height: 700 mm (27.. 8 hp (50 5 kW) @ 4800 rpm Maximum Torque: 114 Nm (84 1 ft lbs) @ 2300 rpm Transmission type: 5 speed Final Drive: Shaft  
MISCELLANEOUS SPECS Tire – Front: 150/80-16 Tire – Rear: 180/70-15 Brakes – Front: single 300 mm disc with 2-piston calipers Brakes – Rear: single 275 mm disc with 2-piston calipers  
DIMENSIONS Overall – Length: 2525 mm (99.. You can sign up for e-mail notifications when other riders answer you Navigation:Index — Motorcycle Specs Handbook — Suzuki — 2003  
2003 Suzuki VL 1500 Intruder LC Back to Suzuki Motorcycle Specs Index Page – 2003 Suzuki VL 1500 Intruder LC  
MANUFACTURER SPECIFICATIONS Manufacturer – Make – Model – Year: Suzuki VL 1500 Intruder LC 2003  
Motorcycle Style: Cruiser  
ENGINE SPECS Engine Type: 1462 cc, 4 Stroke – Liquid Cooled – V Twin Engine Bore and Stroke: 96 mm x 101 mm Compression Ratio: 8,5:1 Valves SOHC, 3 valves/cylinder Carburetion: Mikuni BDSR36 Ignition System: Digital/Transistorized Claimed Horsepower: 67.

6 inches) Wheelbase 1700 mm (66 9 inches) Fuel Capacity: 15 l (4 Gal) Dry Weight (without fluids): 296 kg (652.. Discussions for every bike Bikez has discussion forums for every bike View comments, questions and answers at the 2000 Suzuki VL 1500 LC Intruder discussion group.. 6 pounds) From BikesWiki com, Japanese Motorcycle Encyclopedia

[Download free convert mobi to epub using calibre](#)

[Kawasaki Serial Number Location](#)



[Download java convert docx to doc for windows 7 64](#)

[Drivers Cleaner For Lexmark Printer X1270 Free Download](#)  
[Grndr For Mac Laptop](#)

[Pokemon Extreme Randomizer Nuzlocke Download](#)

---

34bbb28f04 [HomeGed Enterprise](#)

34bbb28f04

[Ample Guitar Vst Crack](#)